APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	DEC 29	1999	
Returned to applicant for correction			_
		•	•
Corrected application filed			
Map filed			<u> </u>

The applicant **Kenneth Lee Dallimore**, hereby make application for permission to change the **place of use of a portion** of water heretofore appropriated under **Truckee River Claim 634**

- 1. The source of water is Truckee River
- 2. The amount of water to be changed 7.11 acres of water rights 0.3 c.f.s. not to exceed 32.0
- 3. The water to be used for Irrigation, domestic and stock watering
- 4. The water heretofore permitted for Irrigation, domestic and stock watering
- 5. The water is to be diverted at the following point In the SE% SE% of Section 14, T.20N., R.23E., from which the South Quarter corner of said Section 14 bears S 63°08'38" W, 2623.9 ft. This is the pt. of diversion of the Gregory Ditch from the truckee River as shown on Permit 14056.
- 6. The existing permitted point of diversion is located within Same
- 7 Proposed place of use 9.5 acres in the SW/4 NE/4 of Section 18, T.20N., R.24E., M.D.B.&M. and 0.4 acres in the SE/4 NE/4 of Section 18, T.20N., R.24E., M.D.B.&M. The exact location to be determined in the future.
- 8. Existing place of use Portions of NW/4 SW/4; SW/4; NE/4 SW/4, and SE/4 NW/4 of Section 8, T.20N., R.24E., M.D.B.&M. The Entire area is located under interstate 80 East of Reno. (31600 Cantlon Drive).
- 9. Use will be from as decreed to as decreed of each year.
- 10. Use was permitted from as decreed to as decreed of each year.
- 11. Description of proposed works Portable pump and portable pipelines and surface ditches will be used to pump from Gregory Ditch.
- 12. Estimated cost of works 15,000.00
- 13. Estimated time required to construct works 1 year
- 14. Estimated time required to complete the application of water to beneficial use 2 years

15. Remarks: Applicant uses map #29413 to support this application plus the attached certified copy's of Deeds numbering 5 to show chain of title.

By Kenneth Lee Dallimore s/Kenneth Lee Dallimore P.O. Box 129 Wadsworth NV 89442

Wadsworth NV 89442			
Compared <u>cl/bk</u>			
Protested			

· · · · · · · · · · · · · · · · · · ·			
<u>DENIAL</u> OF STATE ENGINEER			
This application is hereby denied on the grounds that the applicant has failed to submit the statutory applications filing fee.			
Work must be prosecuted with reasonable diligence and be completed on or before:			
Proof of completion of work shall be filed before:			
Application of water to beneficial use shall be filed on or before:			
Proof of the application of water to beneficial use shall be filed on or before:			
Map in support of proof of beneficial use shall be filed on or before:			
IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,			
State Engineer of Nevada, have hereunto set			
my hand and the seal of my office,			
this 24th day of March, A.D. 2000			
State Engineer			
Completion of work filed			
Proof of beneficial use filed			

الساسم ٠

Cultural map filed ___

Certificate No. _____ Issued ____

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	DEC 29 1999	
Returned to applicant for correction	JAN 21 2000	
Corrected application filed	· · · · · · · · · · · · · · · · · · ·	
Map filed	MAR 09 2000	
***	****	
The applicant Devils Gate General Impermission to change the Point of Diversion, I appropriated under Permit #59810		
· www.	he whe whe whe whe whe whe	
1. The source of water is Underground		. 5
2. The amount of water to be changed 0.10 cfs.	not to exceed 32.44 AFA	
3. The water to be used for Quasi-Municipal	and Domestic purposes	
4. The water heretofore permitted for Comme	rcial and Domestic	· .
5. The water is to be diverted at the follow M.D.B.&M, or at a point from which the W., a distance of 3,190.26 feet. (Gourly well)	V¼ corner of said Section 2	
6. The existing permitted point of diversion is M.D.B.&M., or at a point from which the M distance of 4,077.08 feet.		
7. Proposed place of use E.1/2 Section 17, T.20	N., R.53E., M.D.B.&M. (Di	strict #2)
8. Existing place of use NE¼ Section 6, T.21N	N., R.53E., M.D.B.&M. (8.1)	l acres)
9. Use will be from January 1 to December 3	1 of each year.	
10. Use was permitted from January 1 to Dec	ember 31 of each year.	•
11. Description of proposed works Well, pum	p, motor and pipelines to pl	ace of use.
12. Estimated cost of works \$150,000		
13. Estimated time required to construct works	Well completed	
14. Estimated time required to complete the ap	plication of water to benefici	al use 5 years
15. Remarks:		
s/ Paul 800 Car	l Lumos Lumos E. College Parkway son City, NV 89706	
Compare gkl/cmf cmf/ds		

Protested_

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 59810, is issued subject to the terms and conditions imposed in said Permit 59810, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 49925, Certificate 14648; 49926, Certificate 14649; 65768, 65769, and 65770 shall not exceed 41.94 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

Page 3 of 3 (PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed <u>0.10</u> cubic feet per second, <u>but not to exceed 10.5706 million gallons annually.</u>

Work must be prosecuted with reasonable diligence and be completed on or before:

November 12, 2001

Proof of completion of work shall be filed before: <u>December 12, 2001</u>

Water must be placed to beneficial use on or before: **November 12, 2005**

Proof of the application of water to beneficial use shall be filed on or before:

December 12, 2005

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

my hand and the seal of my office,
this 2nd day of, March A.D. 2001
State Engineer

JAN 1 1 2002

Completion of work filed

Proof of beneficial use filed ___

Certificate No. __

Cultural map filed _

___Issued

